

Contents

- DenizBank AG PSD2 APIs 2
 - 1)Create Consent..... 2
 - 2)Get Consent..... 3
 - 3)Get Consent Status..... 4
 - 4)Delete Consent..... 4
 - 5) Get Authorization Server MetaData 4
 - 6)Get Authorization Request..... 5
 - 7)Access Token 8
 - 8)Access Token Via Refresh Token 10
 - 9)Get Account..... 10
 - 10)Get Account Detail 11
 - 11)Account Transactions..... 11
 - 12) Account Balance 12
 - 13)Confirmation of Fund 13
 - 14) Create Payment..... 14
 - 15) Create Periodic Payment..... 145
 - 16) Get Payment Status..... 166
 - 17) Get Payment..... 177
 - 18) Get Periodic Payment..... 177
 - 19) Delete Payment..... 188


DenizBank AG PSD2 APIs

1) Create Consent

Header part of method will be filled in like below.

Create Consent API works with role information of AIS, PIS and both AIS &PIS certificates.

It will return error for invalid/expired certificate and certificate without role information.



KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> TPP-Redirect-URI	https://google.com?test=xyz	
<input checked="" type="checkbox"/> X-Request-ID	3123fdfsaaa	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> PSU-IP-Address	12.12.12.12	

Body part of method will be filled in like below sample.

```
1  {
2  .. "access": {
3  ... "accounts": [],
4  ... "balances": [],
5  ... "transactions": []
6  .. },
7  .. "recurringIndicator": true,
8  .. "validUntil": "2024-03-03",
9  .. "frequencyPerDay": 1,
10 .. "combinedServiceIndicator": false
11 }
```

We support Bank Offered Consent.

validUntil value indicates the expire date of consent.

frequency per day value indicates the maximum number of calls without active PSU by TPP for account services. Default allowed number of calls is 4 in order to be comply with regulation.

The differentiate between active/not active customer existences is made by looking at whether PSU-IP-Address field is empty or not.

recurringIndicator field value indicates either the consent is for recurring access to the account data or the consent is for one access to the account data.

combinedServiceIndicator value can be only false.

Response:

```

{
  "consentId": "baa16395-58c8-4e9e-885a-2bddd8555188",
  "consentStatus": "received",
  "_links": {
    "scaOAuth": {
      "href": "https://openbankinguat.denizbank.at/oauth/.well-known/oauth-authorization-server"
    }
  }
}


```

We expect TPP to access the url in ScaOAuth for Authorization server configuration and metadata informations.

2)Get Consent

The header part of method will be filled like below.

Consent Id value is given as a parameter value.



The screenshot shows a REST client interface with a GET request to `https://openbankinguat.denizbank.at/api/v1/consents/a09ae616-a928-485c-958c-b49fb6351308`. The Headers tab is active, showing 6 hidden headers. The visible headers are:

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> X-Request-ID	3213fdfdf	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> Authorization	Bearer 78yYPYSmQCHHv754eCOIMmAwWBJPny-i4elnKZ-NSNNkpaMUYBMfC...	
Key	Value	Description

Response

```

{
  "access": {
    "accounts": [
      {
        "iban": "DE48500307004207019550"
      }
    ],
    "balances": [
      {
        "iban": "DE48500307004207019550"
      }
    ],
    "transactions": [
      {
        "iban": "DE48500307004207019550"
      }
    ]
  },
  "validUntil": "2023-08-10T00:00:00",
  "recurringIndicator": true,
  "frequencyPerDay": 1,
  "lastActionDate": "2023-07-10T00:41:39",
  "consentStatus": "valid"
}

```

3)Get Consent Status

Header part of method will be filled like below.

GET <https://openbankinguat.denizbank.at/api/v1/consents/2f167ec5-bc64-42d3-b889-4d55a7f5bd51/status>

Params Authorization **Headers (10)** Body Scripts Settings

Headers 7 hidden

Key	Value	Description	Bulk I
<input checked="" type="checkbox"/> X-Request-ID	3213fdfdf		
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5		
<input checked="" type="checkbox"/> TPP-Signature-Certificate			
Key	Value	Description	

Response

Body **Headers (7)**

Pretty Raw Preview JSON ⌵ ⌵

```
1 {  
2   "consentStatus": "valid"  
3 }
```

consentStatus will be below values:

- Received
- Expired
- Valid

4)Delete Consent

Consent ID is given as a parameter. As a response method will return no content for successful delete operation.

DELETE <https://openbankinguat.denizbank.at/api/v1/consents/baa16395-58c8-4e9e-885a-2bdd8555188>

Params Authorization **Headers (10)** Body Pre-request Script Tests Settings

Headers 6 hidden

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> X-Request-ID	3213fdfdf	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> Authorization	Bearer fWXCrb7Sj9yn96Hg5MTgqsGAFE-nuRZE4oYrv4fbkku1bgnVAzZztklrSNwc	
Key	Value	Description

5) Get Authorization Server MetaData

EndPoint Uri: (No request header, or body required.)


GET <https://openbankinguat.denizbank.at/oauth/.well-known/oauth-authorization-server>

Response:

```
[{"issuer": "https://openbankinguat.denizbank.at", "authorization_endpoint": "https://openbankinguat.denizbank.at/authorize", "token_endpoint": "https://openbankinguat.denizbank.at/token", "response_types_supported": ["code", "code token"]}]
```

6)Get Authorization Request

The query parameters of method will be filled like below.



The screenshot shows a REST client interface with a GET request to the following URL: `https://openbankinguat.denizbank.at/authorize?response_type=code&client_id=8000000000000008&state=statettt&scope=AIS%3a0fb4475e-aebc-4f7e-a64c-378f9eac9719&redirect_uri=https://google.com?test=xyz&code_challenge=s22&code_challenge_method=plain`. The 'Query Params' section is expanded, showing a table of parameters:

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> response_type	code	
<input checked="" type="checkbox"/> client_id	8000000000000008	
<input checked="" type="checkbox"/> state	statettt	
<input checked="" type="checkbox"/> scope	AIS%3a0fb4475e-aebc-4f7e-a64c-378f9eac9719	
<input checked="" type="checkbox"/> redirect_uri	https://google.com?test=xyz	
<input checked="" type="checkbox"/> code_challenge	s22	
<input checked="" type="checkbox"/> code_challenge_method	plain	


Response http Code:

 Status: 302 Found


This endpoint redirects the TPP to page of DenizBank AG Internet Banking in order to get consent from PSU. SMS or push TAN verification is performed during the login and transaction confirmation stages. You can see examples of SMS TAN below.

UAT Customer Number:10251 can be used in order to login.

Password: m3104



LogIn Page



SMS Tan Page

SMS OTP:123456

Consent Confirmation IB Pages:

Gizem Test

Mit der Verknüpfung erlauben Sie:

Gültig bis 10.8.2023 00:00:00

Konto/Konten auswählen

AT161965004010251550
TEST - 52.225,86 EUR

Sie erlauben Gizem Test die Umsatzabfrage, Saldoabfrage bis 10.8.2023 00:00:00.
Die Erlaubnis ist 1 Tage gültig.

Abbrechen **Weiter**

Account Selection Page

Gizem Test

With the Link You Allow:

Validity Date 10.8.2023 00:00:00

Select Account/Accounts

AT161965004010251550
TEST - 52.225,86 EUR

You will allow Gizem Test to access your account/s until 10.8.2023 00:00:00.
This permission will be valid for 1 days.

Cancel **Continue**

Account Selection Page English Version

Payment Confirmation IB Pages:

Gizem Test

With the Link You Allow:

The order containing the details mentioned below will be paid after your confirmation.

Debtor Account: AT161965004010251550
Amount: 12,00 EUR
Creditor Bank: ZIRAAT BANK International
Creditor Name: Jean
Explanation: www.amazon.de

Cancel **Continue**

Confirmation of Payment

Gizem Test

With the Link You Allow:

The order containing the details mentioned below will be paid after your confirmation.


Debtor Account:AT161965004010251550
Amount: 12,00 EUR
Creditor Bank: ZIRAAT BANK International
Creditor Name: Jean
Explanation: www.amazon.de

Security Code is for one time use only and valid only for 3 minutes.
Please enter the security code.

02 : 50

Cancel The Order Approve The Order

SMS Tan Page Confirmation of Payment



TTP redirection page

URL in browser will be updated by automatically and page will be redirected to TPP's given redirect link address.

https://www.google.com.tr/?code=m9lkKgO1cwrmb5jlpNcWf1VAL9-zrZOZ3k4dhTrB4-PmY4yEi-GrOp0BiAj_MUboIwjpZT-WOrNqg5EbYD_HXp_45nrKJARplf6LGLUrfxDyeh89g0CgrPT8B4ROITsoV-bOGAuLgHGlivdvqTOV3LJVGT3jsgchsbA3Yfor5BdHpSuPGqSZjwZKlmH_QkP0;HbfVfAXrkyGsi6s6EiURvg2&state=null

7)Access Token

PSU login the URL that return from successful triggering of Create Consent and Create Payment methods. Authorize code value will obtain by getting confirmation of consent and payment steps. The authorize code value will be set in code field in access token method.

Client Id value that is obtained by creating an application on the API portal will set in request as shown below.

Consent Id/Payment Id value set in request_id field.

Produced access token for consent has default 1 hour , payment token has 1 day validity. After validity time, the access token will be expired. Access token can be renew with refresh_token action below.

<https://www.google.com.tr/?code=zmqkNtJ4XhzLFNvfF1jXOygCg9f9ehDjXzrbxMiZNJ0skisUrMYsCfON1PC6OyrJeukGI5B2hhM3PK1idbwgqn7uJ6g1yav7V3PzKMYFI-82crVRpHlw917bWNtXdf5mhAJGxboGGEBIP IEg2fyWRGmMk7qNbVT1L6ALTr3yfiSC1aOLpdpFKtcpQDFRTR20;ySwrxMrSEwMzrIO0SRxyNg2&state=null>

Header part of method will be filled like below.

KEY	VALUE	DESCRIPTION
X-Request-ID	9dce13a2-6496-4fad-8a42-d84d8d04f7f8	
TPP-Signature-Certificate		
TPP-Application-Code	ABC5	

Request Parameters:

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** https://openbankinguat.denizbank.at/token?code=-ROXQjf7k8fnG5TZZ65SXUTh0KTOPisDX5dwE4TCklh...
- Parameters:**
 - code: -ROXQjf7k8fnG5TZZ65SXUTh0KTOPisDX5dwE4TCklh...
 - code_verifier: s22
 - grant_type: authorization_code
 - client_id: 800000000000008
 - redirect_uri: https://google.com?test=xyz
- Status Code:** 200 OK
- Response Body (JSON):**

```

{
  "access_token": "1iJ1s71LHK23pkV80RMqEZJxMYjmHvbc-q7DyzN1WeB0moASCaAo0F5thYJKp8w1Yzh6ebkQ54yLASwzJL0KNAvRDcdwexDVPmSAQqDe-xE8teVw2btJH78cRqtGejgsLhIWRALzwFIT-0IueHxsXGKI8ylax6V6Ebug1bozUVFTtBUuzZPtQVZitNCZPv0;96y4799J1c9UkQ5hoBL4Jg2",
  "token_type": "Bearer",
  "expires_in": 3599,
  "scope": "ais:Sec4afdb-d019-4a1a-8d60-71fda151f5d0",
  "refresh_token": "hqXkQGbRm1XaN-DJKD01jdScMfIE9v1L6s3PfdvA8wzvy_zzbXgqXeFQ-UiQRcCQ0z0av6G0SBV5nQ2Ku1o7dvHGMP_KVy0ZwUfFAf4b8vWIBw0keNnnhFXgkG6P5bhh0;96y4799J1c9UkQ5hoBL4Jg2"
}

```

<https://www.google.com.tr/?code=-jiwhK1SjkrTyN7NpCVtZrBVEcNHrxWx20Dy3W6izkBK8xxAoTuOmJ9ulqoxfuAtaAN6RxbLqg8jRvQxObjTOJlCyJN4uC6diwccqI5W5ean300eKOIGbbPLtuluBH dWvTln8il5ZoSyRQsHti3VdRRcAuCG6MqYqfUWk0GudOmJF1299rvCnYwX4dSTQJWf-0;uuLvGTOBlZqUyqgZ7KQKOA2&state=null>

"access_token":
"ggBXe_F070yHlXrJYqKUQydXWshFQDcUZ_96SChgjjXvRkDUU3ZQ2uGZDahfEwKCi5HKgu3K0gAkyah

rwwloGKGZcy4lqZhrQj5w0gTO8JpRaSbSJ-_ygXS_VT2NS1jnco0AapRC-00Ct9NNKMx6tbyHeWCzrnXdcDn8n4GxaW-o_cYwfb26zVKRZ4rFGiH0;IUyRF8HCICRdCaAnDITS6g2",

"token_type": "Bearer",

"expires_in ": 3901618,


"scope": "bb425668-f4f7-4455-bab3-2ca959914f89",

"refresh_token": "hqXkQGbRm1XaN-DJKD0IjdScMIfE9v1L6s3PfdvA8wzvy_zzbXgqXeFQ-UiQRcCQOz0av6G0SBV5nQ2Ku1o7dvHGMP_KVY0ZwUtFfAf4b8vWIBwOkeNnnhFXgkGP5Pbh0;96y4799Jlc9UkQ5hoBL4Jg2"

8) Access Token Via Refresh Token

It ensures the renewal of the expired access token. The refresh token duration is up to the period defined by the PSU for AIS, and 50 days for PIS. (This duration is parametric and can be changed by business units.) If the refresh token has expired, it will throw an error.


Header part of method will be filled like below.



The screenshot shows a REST client interface with a POST request to `https://openbankinguat.denizbank.at/token?code=K13V30G0JqrTHtF0C3tRyJ19c_q8c0WQlr7KUo3TbP0wpLLQFGshJzQBxmd1VcraFjCuOjOxi1BoG0nichA-mTIDJ4NgmkzB2k0ANsgNUGQ5H0JIDk`. The 'Headers' tab is active, showing 7 hidden headers. The visible headers are:

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> X-Request-ID	9dce13a2-6496-4fad-8a42-d84d8d04f7f8	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	

Request Parameters:



The screenshot shows a REST client interface with a POST request to `https://openbankinguat.denizbank.at/token?grant_type=refresh_token&client_id=8000000000000008&redirect_uri=https://google.com?test=xyz&re...`. The 'Query Params' tab is active, showing 11 parameters. The visible parameters are:

Key	Value	Description
<input checked="" type="checkbox"/> grant_type	refresh_token	
<input checked="" type="checkbox"/> client_id	8000000000000008	
<input checked="" type="checkbox"/> redirect_uri	https://google.com?test=xyz	
<input checked="" type="checkbox"/> refresh_token	hqXkQGbRm1XaN-DJKD0IjdScMIfE9v1L6s3PfdvA8wzvy...	

9) Get Account

Header part of method will be filled like below.

KEY	VALUE
<input checked="" type="checkbox"/> X-Request-ID	3213fdfdf
<input checked="" type="checkbox"/> TPP-Signature-Certificate	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5
<input checked="" type="checkbox"/> Consent-ID	a09ae616-a928-485c-958c-b49fb6351308
<input checked="" type="checkbox"/> Authorization	Bearer 78yYPYSmQCHHv754eC0IMmAwWBJPNy-i4elnKZ-NSNNkpaMUYBMfC...

Response

```

{
  "accounts": [
    {
      "resourceId": "TFMwNDQzTG10MUJDaDB1eVBRMkE4QT09",
      "iban": "DE48500307004207019550",
      "currency": "EUR",
      "name": "TEST",
      "product": "MGBA"
    }
  ]
}

```

10)Get Account Detail

Header part of method will be like below

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> X-Request-ID	3213fdfdf	
<input checked="" type="checkbox"/> Authorization	Bearer 78yYPYSmQCHHv754eC0IMmAwWBJPNy-i4elnKZ-NSNNkpaMUYBMfC...	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> Consent-ID	a09ae616-a928-485c-958c-b49fb6351308	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	

Response

```

{
  "account": {
    "resourceId": "TFMwNDQzTG10MUJDaDB1eVBRMkE4QT09",
    "iban": "DE48500307004207019550",
    "currency": "EUR",
    "name": "TEST",
    "product": "MGBA"
  }
}

```

11)Account Transactions

Header part of method will be like below

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> Consent-ID	a09ae616-a928-485c-958c-b49fb6351308	
<input checked="" type="checkbox"/> Authorization	Bearer 78yYPYSmQCHHv754eC0IMmAwWBjPNy-i4elnKZ-NSNNkpaMUyBMFC...	
<input checked="" type="checkbox"/> X-Request-ID	3213fdfff	

If you do not set date interval as parameter, the method will return records of last 7 days.

KEY	VALUE
<input checked="" type="checkbox"/> dateFrom	2020-08-01
<input checked="" type="checkbox"/> dateTo	2022-08-20
Key	Value

Response:

```

1  {
2    "account": {
3      "iban": "AT161965004010251550",
4      "currency": "EUR"
5    },
6    "transactions": {
7      "booked": [
8        {
9          "transactionId": "440",
10         "bookingDate": "2024-03-04T21:54:47",
11         "transactionAmount": {
12           "currency": "EUR",
13           "amount": 1000
14         },
15         "remittanceInformationUnstructured": "Festgeldrückzahlung. 17-10251-363 (Transaktion : Auszahlung)",
16         "balanceAfterTransaction": {
17           "currency": "EUR",
18           "amount": 19255664
19         },
20         "channel": "Other"
21       }
22     ],
23     "_links": {
24       "account": {
25         "href": "https://openbankinguat.denizbank.at/api/v1/accounts/a1pDNXlubnpCvEtjV3Rmb1NxNTB1UT09"
26       }
27     }
28   }
29 }

```

12) Account Balance

Header part of method will be like below

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> Consent-ID	a09ae616-a928-485c-958c-b49fb6351308	
<input checked="" type="checkbox"/> X-Request-ID	9dce13a2-6496-4fad-8a42-d84d8d047f18	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> Authorization	Bearer 78yYPYSmQCHHv754eCOIMmAwWBJPny-i4elnKZ-NSNNkpaMUyBMFC...	
<input checked="" type="checkbox"/> PSU-IP-Address	12.12.12.12	

Response:

```

1  {
2    "account": {
3      "iban": "DE48500307004207019550",
4      "currency": "EUR"
5    },
6    "balances": [
7      {
8        "balanceAmount": {
9          "currency": "EUR",
10         "amount": 0.26
11       },
12       "balanceType": "interimBooked",
13       "referenceDate": "2023-07-10T01:30:13.4105663+02:00"
14     }
15   ]
16 }

```

13)Confirmation of Fund

Confirmation of Fund method will be triggered by certificate with having PIS and both AIS&PIS role information.

Headers and Params will be filled like below.

The value send in amount field and account balance will be compared.

POST Send

https://openbankinguat.denizbank.at/api/v1/funds-confirmations

Params Authorization **Headers (14)** Body ● Pre-request Script Tests Settings Cook

<input checked="" type="checkbox"/>	Connection	keep-alive
<input checked="" type="checkbox"/>	TPP-Application-Code	ABC5
<input checked="" type="checkbox"/>	X-Request-ID	71e98fd5-0aa7-477a-bc5d-486d8dda8...
<input checked="" type="checkbox"/>	TPP-Signature-Certificate	MIEVzCCA6egAwIBAgIUbnXNfMDC1ro/n...
<input checked="" type="checkbox"/>	PSU-IP-Address	dhhhdhhh3421

body Cookies (2) Headers (9) Test Results 200 OK 1599 ms 533 B Save as example

Pretty Raw Preview Visualize JSON Copy

```

1  {
2    "fundsAvailable": true
3  }

```

Request Body:

POST ▼ https://openbankinguat.denizbank.at/api/v1/funds-confirmations

Params Authorization Headers (16) **Body** ● Pre-request Script Tests Settings

● none ● form-data ● x-www-form-urlencoded ● raw ● binary ● GraphQL **JSON** ▼

```
1 {
2   ... "account": "
3   ... "iban": "DE48600307004207019550"
4   ... ,
5   ... "instructedamount": {
6     ... "amount": "100",
7     ... "currency": "EUR"
8   ... }
9 }
```

Response will return as True/False.

14) Create Payment

Sepa Credit Transfer

Header field of method will be filled like below.

POST ▼ https://openbankinguat.denizbank.at/api/v1/payments/sepa-credit-transfers

Params Authorization **Headers (13)** ● Body ● Pre-request Script Tests Settings

Headers ◀ 8 hidden

KEY	VALUE	DESCRIPT
<input checked="" type="checkbox"/> X-Request-ID	3123dfdsaaa	
<input checked="" type="checkbox"/> TPP-Redirect-URI	https://google.com	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> TPP-Signature-Certificate		
<input checked="" type="checkbox"/> PSU-IP-Address	12.12.12.12	

Request Body:

```
1 {
2   ... "debtorAccount": {
3     ... "iban": "AT161965004010251550",
4     ... "currency": "EUR"
5   ... },
6   ... "instructedAmount": {
7     ... "amount": "13",
8     ... "currency": "EUR"
9   ... },
10  ... "creditorAccount": {
11    ... "iban": "DE02512207000906409427",
12    ... "currency": "EUR"
13  ... },
14  ... "creditorName": "Jean",
15  ... "creditorAddress": {
16    ... "streetname": "street",
17    ... "townname": "city",
18    ... "postcode": "15150",
19    ... "country": "BE"
20  ... },
21  ... "remittanceInformationUnstructured": "www.amazon.de",
22  ... "requestedExecutionDate": "2024-03-30"
23 }
```

Payment ID and URL will be returned as response

```
{
  "paymentId": "44cb954d-a9b3-4cb8-a253-8a5955c558ad",
  "transactionStatus": "RCVD",
  "_links": {
    "scaOAuth": {
      "href": "https://openbankinguat.denizbank.at/oauth/.well-known/oauth-authorization-server"
    }
  }
}
```

We expect TPP to access the url in ScaOAuth for Authorization server configuration and metadata informations.

15) Create Periodic Payment

Periodic Sepa Credit Transfer

Key	Value	Description
<input checked="" type="checkbox"/> X-Request-ID	3123dfdsaaa	
<input checked="" type="checkbox"/> TPP-Redirect-URI	https://google.com	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> TPP-Signature-Certificate	MIEVzCCA6egAwIBAgIUbXNfMDC1ro/nCnzxRDJzDg...	
<input checked="" type="checkbox"/> PSU-IP-Address	address	
<input checked="" type="checkbox"/> Is-SandboxKonsentus	1	
Key	Value	Description

Periodic Sepa Request Body:

```
1  {
2  |  -- "debtorAccount": {
3  |  |  -- "iban": "AT161965004010251550",
4  |  |  -- "currency": "EUR"
5  |  |  }
6  |  -- "instructedAmount": {
7  |  |  -- "amount": 13,
8  |  |  -- "currency": "EUR"
9  |  |  }
10 |  -- "creditorAccount": {
11 |  |  -- "iban": "DE02512207000906409427",
12 |  |  -- "currency": "EUR"
13 |  |  }
14 |  -- "creditorName": "Jean",
15 |  -- "creditorAddress": {
16 |  |  -- "streetname": "street",
17 |  |  -- "townname": "city",
18 |  |  -- "postcode": 15150,
19 |  |  -- "country": "BE"
20 |  |  }
21 |  -- "remittanceInformationUnstructured": "www.amazon.de",
22 |  -- "startDate": "2024-02-08",
23 |  -- "endDate": "2024-03-08",
24 |  -- "frequency": 1,
25 |  -- "executionRule": "following",
26 |  -- "dayOfExecution": "01"
27 |  }
```

Payment ID and URL will be returned as response

```
1 {
2   "paymentId": "ada81506-06ea-4142-b0bd-4ddde054fd7a",
3   "transactionStatus": "RCVD",
4   "_links": {
5     "scaOAuth": {
6       "href": "https://openbankinguat.denizbank.at/oauth/.well-known/oauth-authorization-server"
7     }
8   }
9 }
```

16) Get Payment Status

Header field of method will be filled like below.

Payment ID value and transactionStatus which based on ISO20020 format will return as response.

GET https://openbankinguat.denizbank.at/api/v1/payments/sepa-credit-transfers/53fa9047-b9d6-44a2-a5bc-33cc3b82d6a5/status

Params Headers (3) Body

Headers

	Key	Value	Description
<input checked="" type="checkbox"/>	X-Request-ID	3123dfdsaa	
<input checked="" type="checkbox"/>	TPP-Signature-Certificate		
<input checked="" type="checkbox"/>	TPP-Application-Code	AMAZON	
	Key	Value	Description

Body Headers (9)

Pretty Raw Preview JSON

```
1 {
2   "transactionStatus": "PDNG"
3 }
```

GET https://openbankinguat.denizbank.at/api/v1/periodic-payments/sepa-credit-transfers/53fc4c42-01de-4295-ba74-552f031aefbf/status

Params Headers (3) Body

Headers

	Key	Value	Description
<input checked="" type="checkbox"/>	X-Request-ID	3123dfdsaa	
<input checked="" type="checkbox"/>	TPP-Signature-Certificate		
<input checked="" type="checkbox"/>	TPP-Application-Code	AMAZON	
	Key	Value	Description

Body Headers (9)

Pretty Raw Preview JSON

```
1 {
2   "transactionStatus": "ACSC"
3 }
```

17) Get Payment

Header field of method will be filled like below.

KEY	VALUE
<input checked="" type="checkbox"/> X-Request-ID	3123fdfsaa
<input checked="" type="checkbox"/> TPP-Signature-Certificate	
<input checked="" type="checkbox"/> Authorization	Bearer wTvQu5BmEjP07Ku9cJl_o7acvEEJCOcr86AkhU_wZUrR8JxgpCz4KCKGlzn
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5

Response:

Body	Headers (8)	Status Code
		200 OK

```
1  {
2    "creditorAccount": {
3      "iban": "DE02512207000906409427",
4      "currency": "EUR"
5    },
6    "creditorAddress": {
7      "streetName": "street",
8      "buildingNumber": "",
9      "townName": "city",
10     "postCode": "15150",
11     "country": "BE"
12   },
13   "creditorName": "Jean",
14   "debtorAccount": {
15     "iban": "AT161965004010251550",
16     "currency": "EUR"
17   },
18   "instructedAmount": {
19     "currency": "EUR",
20     "amount": 10
21   },
22   "remittanceInformationUnstructured": "www.amazon.de",
23   "transactionStatus": "ACSC"
24 }
```

18) Get Periodic Payment

Header field of method will be filled like below.

Key	Value	Description
<input checked="" type="checkbox"/> X-Request-ID	3123fdfsaa	
<input checked="" type="checkbox"/> TPP-Signature-Certificate	MIIEvzCCA6egAwIBAgIUbnXNfMDC1ro/nCnzxRDJzD...	
<input checked="" type="checkbox"/> Authorization	Bearer rBY31UwNjCnTgGeZboudnhHWa7yxtAbktV6...	
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5	
<input checked="" type="checkbox"/> Is-SandboxKonsentus	1	

Response:

```

1  {
2    "creditorAccount": {
3      "iban": "DE02512207000906409427",
4      "currency": null
5    },
6    "creditorAddress": {
7      "streetName": null,
8      "buildingNumber": "",
9      "townName": null,
10     "postCode": null,
11     "country": "BE"
12   },
13   "creditorName": "Jean",
14   "debtorAccount": {
15     "iban": "AT571965002707900003",
16     "currency": null
17   },
18   "instructedAmount": {
19     "currency": "EUR",
20     "amount": 4.0
21   },
22   "remittanceInformationUnstructured": "www.amazon.de",
23   "transactionStatus": "ACSC",
24   "requestedExecutionDate": "0001-01-01T00:00:00",
25   "startDate": "2024-02-08T00:00:00",
26   "endDate": "2024-03-08T00:00:00",
27   "frequency": "Weekly",
28   "dayOfExecution": "01"
29 }

```

19) Delete Payment

Future Date Sepa Payment Delete

Headers and request parameters will be filled like below

DELETED <https://openbankinguat.denizbank.at/api/v1/payments/sepa-credit-transfers/d875f866-2849-4b17-96a2-54f9a86da168> Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

Headers 6 hidden

Key	Value	Description	...	Bulk Edit	Presets
<input checked="" type="checkbox"/> X-Request-ID	3123fdfsaa				
<input checked="" type="checkbox"/> TPP-Signature-Certificate					
<input checked="" type="checkbox"/> Authorization	Bearer RZ2NrG3h420LVtInfnVJ2K0_-RLO5O3vJrsDFN...				
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5				
Key	Value	Description			

Periodic Payment

Headers and request parameters will be filled like below

DELETED <https://openbankinguat.denizbank.at/api/v1/periodic-payments/sepa-credit-transfers/d2334212-2849-4b17-96a2-54f9a86da168> Send

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies

Headers 7 hidden

Key	Value	Description	...	Bulk Edit	Presets
<input checked="" type="checkbox"/> X-Request-ID	3123fdfsaa				
<input checked="" type="checkbox"/> TPP-Signature-Certificate					
<input checked="" type="checkbox"/> Authorization	Bearer RZ2NrG3h420LVtInfnVJ2K0_-RLO5O3vJrsDFN...				
<input checked="" type="checkbox"/> TPP-Application-Code	ABC5				
Key	Value	Description			

Future Date Cross Border Credit Transfer

Headers and request parameters will be filled like below

DELETE Send

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies

Headers 7 hidden

	Key	Value	Description	...	Bulk Edit	Presets
<input checked="" type="checkbox"/>	X-Request-ID	3123fdfsaa				
<input checked="" type="checkbox"/>	TPP-Signature-Certificate					
<input checked="" type="checkbox"/>	Authorization	Bearer RZ2NrG3h42OLVTInfrnVJ2K0_-RLO5O3vJrsDFN...				
<input checked="" type="checkbox"/>	TPP-Application-Code	ABC5				
	Key	Value	Description			